

Environment Protection Licence

Licence - 5921

Licence Details

Number:	5921
Anniversary Date:	25-September

Licensee

TAMWORTH REGIONAL COUNCIL

PO BOX 555

TAMWORTH NSW 2340

Premises

FOREST ROAD LANDFILL

FOREST ROAD

TAMWORTH NSW 2340

Scheduled Activity

Composting

Waste disposal (application to land)

Waste processing (non-thermal treatment)

Waste storage

Fee Based Activity

<u>Fee Based Activity</u>	<u>Scale</u>
Composting	> 5000-50000 T annual capacity to receive organics
Non-thermal treatment of general waste	Any annual processing capacity
Waste disposal by application to land	Any capacity
Waste storage - other types of waste	Any other types of waste stored
Waste storage - waste tyres	> Any tyres stored

Contact Us

NSW EPA

6 Parramatta Square

10 Darcy Street

PARRAMATTA NSW 2150

Phone: 131 555

Email: info@epa.nsw.gov.au

Locked Bag 5022

PARRAMATTA NSW 2124



Environment Protection Licence

Licence - 5921

INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	6
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Information supplied to the EPA	6
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	9
L1 Pollution of waters	9
L2 Concentration limits	9
L3 Waste	10
L4 Noise limits	12
L5 Hours of operation	13
L6 Potentially offensive odour	14
4 OPERATING CONDITIONS	14
O1 Activities must be carried out in a competent manner	14
O2 Maintenance of plant and equipment	14
O3 Dust	14
O4 Emergency response	14
O5 Processes and management	15
O6 Waste management	15
O7 Other operating conditions	16
5 MONITORING AND RECORDING CONDITIONS	16
M1 Monitoring records	16
M2 Requirement to monitor concentration of pollutants discharged	17
M3 Testing methods - concentration limits	21
M4 Recording of pollution complaints	22



Environment Protection Licence

Licence - 5921

M5	Telephone complaints line	22
M6	Other monitoring and recording conditions	22
6	REPORTING CONDITIONS	23
R1	Annual return documents	23
R2	Notification of environmental harm	24
R3	Written report	24
R4	Other reporting conditions	25
7	GENERAL CONDITIONS	26
G1	Copy of licence kept at the premises or plant	26
8	POLLUTION STUDIES AND REDUCTION PROGRAMS	26
U1	Surface Water and Leachate Management Improvement Program	26
DICTIONARY		27
	General Dictionary	27

Environment Protection Licence

Licence - 5921

Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).



Environment Protection Licence

Licence - 5921

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

TAMWORTH REGIONAL COUNCIL
PO BOX 555
TAMWORTH NSW 2340

subject to the conditions which follow.

Environment Protection Licence

Licence - 5921

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Composting	Composting	> 5000 - 50000 T annual capacity to receive organics
Waste processing (non-thermal treatment)	Non-thermal treatment of general waste	Any annual processing capacity
Waste disposal (application to land)	Waste disposal by application to land	Any capacity
Waste storage	Waste storage - other types of waste	Any other types of waste stored
Waste storage	Waste storage - waste tyres	> tyres stored

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
FOREST ROAD LANDFILL
FOREST ROAD
TAMWORTH
NSW 2340
LOT 2 DP 544594, LOT 375 DP 753848, LOT 376 DP 753848, LOT 377 DP 753848, LOT 388 DP 753848, LOT 1 DP 876543

A3 Information supplied to the EPA

A3.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

Environment Protection Licence

Licence - 5921

- A3.2 The document titled, 'Landfill EMP - Forest Road Landfill', dated May 1998, written by Peter Resch is not to be taken as part of the documentation in A3.1, other than those parts specifically referenced in this licence.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

- P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

<i>Air</i>			
EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
13	Air emissions monitoring		Surface gas monitoring over old landfill areas within area encompassed by Landfill Boudaries marked on Tamworth City Council Drawing No. 11089, 'Detail and Contour Survey', dated 15/08/2001 (TRIM: DOC15/163477).
15	Air emissions monitoring		Subsurface gas monitoring point labelled 'EPA15 Monitoring Point G8 NEW 2000' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
16	Air emissions monitoring		Subsurface gas monitoring point labelled 'EPA16 Monitoring Point G9 NEW 2000' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).

- P1.2 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

- P1.3 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Water and land

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
------------------------	--------------------------	-------------------------	----------------------

Environment Protection Licence

Licence - 5921

1	Surface water quality monitoring/Wet weather discharge	Surface water quality monitoring/Wet weather discharge	Surface water dam overflow point adjacent to Forest Rd & landfill access road intersection labelled 'EPA1 Monitoring Point SW1' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
2	Surface water quality monitoring		Surface water dam labelled 'EPA2 Monitoring Point SW2' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
3	Instream water quality monitoring		Spring Creek above overflow from surface water dam labelled 'EPA3 Monitoring Point SW3' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
4	Instream water quality monitoring		Spring Creek below overflow from surface water dam labelled 'EPA4 Monitoring Point SW4' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
5	Leachate quality monitoring		Northern leachate pond labelled 'EPA5 Monitoring Point L5' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
6	Leachate quality monitoring		Southern leachate pond labelled 'EPA6 Monitoring Point L6' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
7	Leachate quality monitoring/Wet weather discharge	Leachate quality monitoring/Wet weather discharge	Southern leachate retention pond overflow labelled 'EPA7 Monitoring Point L7' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
8	Groundwater quality monitoring		Groundwater monitoring point labelled 'EPA8 Monitoring Point GW17' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).

Environment Protection Licence

Licence - 5921

9	Groundwater quality monitoring		Groundwater monitoring point labelled 'EPA9 Monitoring Point GW10' on the plan entitled 'Tamworth Landfill Forest Road Monitoring Points' submitted to EPA on 14/02/2017 (TRIM: DOC17/113151).
18	Groundwater quality monitoring		Groundwater monitoring point labelled 'Monitoring Point GW 14' on the map entitled 'Details of Monitoring Points', Tamworth Regional Council, Drawing No. 11162, dated 15/08/2001 (DOC15/37598).
19	Groundwater quality monitoring		Groundwater monitoring point labelled 'Monitoring Point GW 15' on the map entitled 'Details of Monitoring Points', Tamworth Regional Council, Drawing No. 11162, dated 15/08/2001 (DOC15/37598).
20	Groundwater quality monitoring		Groundwater monitoring point labelled 'Monitoring Point GW 16' on the map entitled 'Details of Monitoring Points', Tamworth Regional Council, Drawing No. 11162, dated 15/08/2001 (DOC15/37598).
21	Emergency surface water discharge	Emergency surface water discharge	Emergency discharge point from 12ML dam at south east corner of as identified via yellow square on map provided at DOC21/1097030 provided to EPA on 09.12.2021

- P1.4 Prior to discharging from discharge/monitoring point 21, the licensee must obtain written approval to discharge from the EPA. Monitoring requirements will be specified by the EPA on written approval.

3 Limit Conditions

L1 Pollution of waters

- L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

- L2.1 For each monitoring/discharge point or utilisation area specified in the table/s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.

- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the

Environment Protection Licence

Licence - 5921

specified ranges.

L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table/s.

L2.4 Water and/or Land Concentration Limits

POINT 1

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
Total suspended solids	milligrams per litre				50

L2.5 Exceedances of the concentration limits for TSS in condition L2.4 are permitted at Point 1 under the following conditions:

a) an overflow is caused by rainfall exceeding a 90th-percentile 5-day rainfall event being 36.3 millimetres over any consecutive 5-day period immediately prior to the discharging occurring; and,

b) the licensee has taken all practical measures to avoid or minimise water pollution.

L2.6 Whenever a wet weather overflow is occurring due to stormwater events greater than or equal to a 1 in 25 year, 24 hour duration storm event, leachate is permitted to be discharged at the following points for the duration of the overflow: Point 7.

L3 Waste

L3.1 The licensee must not cause, permit or allow any waste to be received at the premises, except the wastes expressly referred to in the column titled "Waste" and meeting the definition, if any, in the column titled "Description" in the table below.

Any waste received at the premises must only be used for the activities referred to in relation to that waste in the column titled "Activity" in the table below.

Any waste received at the premises is subject to those limits or conditions, if any, referred to in relation to that waste contained in the column titled "Other Limits" in the table below.

This condition does not limit any other conditions in this licence.

Code	Waste	Description	Activity	Other Limits
NA	Waste tyres	As defined in Schedule 1 of the Protection of the Environment Operations	Waste storage	The total quantity of waste tyres stored at the

Environment Protection Licence

Licence - 5921

		Act 1997, as in force from time to time.		premises must not exceed 50 tonnes or 5000 waste tyres at any one time
NA	General solid waste (putrescible)	As defined in Schedule 1 of the Protection of the Environment Operations Act 1997, as in force from time to time.	Waste disposal (application to land)	NA
NA	General solid waste (non-putrescible)	As defined in Schedule 1 of the Protection of the Environment Operations Act 1997, as in force from time to time.	Waste disposal (application to land)	NA
NA	Asbestos waste	As defined in Schedule 1 of the Protection of the Environment Operations Act 1997, as in force from time to time.	Waste disposal (application to land)	NA
NA	Certain liquid wastes	Liquid waste as defined in Schedule 1 of the Protection of the Environment Operations Act 1997, as in force from time to time. The liquid wastes that may be disposed of at the premises in accordance with the procedures defined in the current Landfill Environmental Management Plan (as approved by the DECC from time to time) are limited to septic tank pump-out waste, grease trap pump-out waste, garbage bin wash-out waste or other chemically similar liquid wastes	Waste processing (non-thermal treatment)	NA
NA	Certain organics	Organics as defined in Schedule 1 of the Protection of the Environment Operations Act 1997, as in force from time to time. The organics that may be accepted at the premises for composting are limited to garden waste (as defined in Schedule 1 of the Protection of the	Composting	NA

Environment Protection Licence

Licence - 5921

		Environment Operations Act 1997, as in force from time to time) and paunch material generated by livestock processing activities.		
NA	Waste	Any waste received on site that is below licensing thresholds in Schedule 1 of the POEO Act, as in force from time to time.	-	NA

- L3.2 The total tonnage of waste defined in the above condition disposed of at the premises must not exceed 60,000 tonnes in any reporting period.
- L3.3 Disposal of asbestos must be in accordance with Clause 42 of the Protection of the Environment Operations (Waste) Regulation 2014.
- L3.4 Tyres stockpiled on the premises must:
- not exceed fifty (50) tonnes of tyres at any one time; and
 - be located in a clearly defined area away from the tipping face; and
 - be managed to control vermin; and
 - be managed to prevent any tyres from catching fire.
- L3.5 Copper-Chrome-Arsenate (CCA) treated timber waste may be disposed of at the landfill subject to the requirements of the relevant current general immobilisation approval.

L4 Noise limits

- L4.1 Noise generated at the premises must not exceed the noise limits in the table below.

Locality and Location	Day LAeq (15 minute)	Evening LAeq (15 minute)	Night LAeq (15 minute)	Night LA1 (1 minute)
Lot 1 DP876543	40	35	35	45
All other privately owned residences	55	45	40	45

- L4.2 For the purpose of the table above:
- Day is defined as the period from 7am to 6pm Monday to Saturday and 8am to 6pm Sundays and Public Holidays;
 - Evening is defined as the period from 6pm to 10pm;
 - Night is defined as the period from 10pm to 7am Monday to Saturday and 10pm to 8am Sundays and Public Holidays.

Environment Protection Licence

Licence - 5921

- L4.3 The noise limits identified in the above table do not apply at privately owned residences that are subject to a private agreement, relating to the noise levels, between the licensee and the land owner.

Determining Compliance

- L4.4 To determine compliance:
- a) with the LAeq(15 minute) noise limits in the Noise Limits table, the noise measurement equipment must be located:
 - i) approximately on the property boundary, where any dwelling is situated 30 metres or less from the property boundary closest to the premises; or
 - ii) within 30 metres of a dwelling façade, but not closer than 3m, where any dwelling on the property is situated more than 30 metres from the property boundary closest to the premises; or, where applicable
 - iii) within approximately 50 metres of the boundary of a National Park or a Nature Reserve.
 - b) with the LA1(1 minute) noise limits in the Noise Limits table, the noise measurement equipment must be located within 1 metre of a dwelling façade.
 - c) with the noise limits in the Noise Limits table, the noise measurement equipment must be located:
 - i) at the most affected point at a location where there is no dwelling at the location; or
 - ii) at the most affected point within an area at a location prescribed by part (a) or part (b) of this condition.
- L4.5 The noise limits set out in the Noise Limits table apply under all meteorological conditions except for the following:
- a) Wind speeds greater than 3 metres/second at 10 metres above ground level; or
 - b) Stability category F temperature inversion conditions and wind speeds greater than 2 metres/second at 10 metres above ground level; or
 - c) Stability category G temperature inversion conditions.
- For the purposes of this condition:
- a) Data recorded by the meteorological station identified as EPA Identification Point(s) 44 must be used to determine meteorological conditions; and
 - b) Temperature inversion conditions (stability category) are to be determined by the sigma-theta method referred to in Part E4 of Appendix E to the NSW Industrial Noise Policy.
- L4.6 For the purposes of determining the noise generated at the premises the modification factors in Section 4 of the NSW Industrial Noise Policy must be applied, as appropriate, to the noise levels measured by the noise monitoring equipment.

L5 Hours of operation

- L5.1 All work at the premises must be conducted between the following hours:
6am to 6pm Mondays to Fridays, 8am to 6.30pm Saturdays, Sundays and Public Holidays.

Environment Protection Licence

Licence - 5921

- L5.2 Work may occur at the premises outside the hours of operation defined above in special circumstances or in the case of an emergency where prior written approval has been provided by the EPA.

L6 Potentially offensive odour

- L6.1 No condition of this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.
- L6.2 Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

- O1.1 Licensed activities must be carried out in a competent manner.
This includes:
- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
 - b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
- a) must be maintained in a proper and efficient condition; and
 - b) must be operated in a proper and efficient manner.

O3 Dust

- O3.1 All operations and activities occurring at the premises must be carried out in a manner that will minimise the emission of dust from the premises.

O4 Emergency response

- O4.1 The licensee must have in place and implement procedures to minimise the risk of fire at the premises.
- O4.2 The licensee must extinguish fires at the premises as soon as possible.

Environment Protection Licence

Licence - 5921

O5 Processes and management

- O5.1 The dams used for the impoundment of leachate must be maintained to ensure that their design capacity is available for the storage of leachate.
- O5.2 A leachate barrier system approved by the EPA and leachate collection system approved by the EPA must be installed on each surface within the premises to be used for the disposal of waste. This condition does not apply to areas used for the emplacement of waste before 25 September 2000. The proposed design of the leachate barrier system and leachate collection system along with a quality assurance program which demonstrates that they will be constructed to achieve their design objectives, must be submitted to the EPA for review at least 3 months prior to the proposed installation.

O6 Waste management

- O6.1 The leachate barrier system must be installed above the groundwater table.
- O6.2 Surface drainage must be diverted away from any area where waste is being or has been landfilled.
- O6.3 Surface drainage from the hardstand area of the small vehicle transfer station must be diverted away from any area where waste is being or has been deposited.
- O6.4 The perimeter of the areas where waste has been landfilled must be contoured to prevent stormwater running onto these surfaces from all storm events less than or equal to a 1 in 20 year 24 hour duration storm event.
- O6.5 There must be no incineration or burning of any waste at the premises.
- O6.6 The licensee must have in place and implement procedures to identify and prevent the disposal of any waste not permitted by this licence to be disposed of at the premises.
- O6.7 The licensee must ensure that the achieved compaction rate of landfilled waste (excluding cover material) is stated in the annual report for the waste premises submitted to the EPA.
- O6.8 The licensee must submit a proposed quality assurance program for any leachate collection system, leachate barrier system or landfill capping system, for approval by the EPA no less than 60 days prior to the commencement of works.
- O6.9 The licensee must implement the litter management program specified in in the current Landfill Environmental Management Plan (as approved by the EPA from time to time).
- O6.10 The licensee must ensure that adequately trained staff and/or contractors are available at the premises in order to administer the requirements of this licence.

Environment Protection Licence

Licence - 5921

- O6.11 The licensee may store in an appropriate facility, at any one time, no more than 2 tonnes of Hazardous Chemical substances provided that:
- the chemicals are stored within a defined and secure area which is appropriately signposted; AND
 - the facility is self contained and bunded, with a bund capacity of 25% by volume of the total intended capacity of the facility; AND
 - up to date logs of all chemicals contained are kept at the facility.
- O6.12 The licensee must submit to the EPA within six months prior to the last load of waste being landfilled, a closure plan in accordance with Section 76 of the Protection of the Environment Operations Act 1997.
- O6.13 The licensee must ensure that the landfill cells are capped progressively and in accordance with condition O6.15 during operations and specifically at times when the level of waste reaches final heights as approved by the EPA.
- O6.14 Final capping must comprise design parameters: as specified in the Environmental Guidelines: Solid Waste Landfills, Second Edition, NSW EPA, 2016, or design parameters approved by the EPA prior to the capping taking place.
- O6.15 The licensee must cap the closed cell in accordance with the report entitled 'Tamworth Regional Council, Forest Road Waste Management Facility, Phytocap - Cover Plan', prepared by GHD, Report No. 22/17904, dated December 2016.

O7 Other operating conditions

Alternative Daily Cover - Tarpomatic Tarpaulin

- O7.1 The licensee may use a Tarpomatic Tarpaulin cover to minimise the odour, dust, litter, the presence of scavengers and vermin, the risk of fire, rainwater infiltration into the waste and the emission of landfill gas. The operational activities related to the Tarpomatic Tarpaulin cover must comply with Section 8 of the EPA's *Environmental Guidelines - Solid waste landfills - 2016*.

Note: The EPA reserves the right to cancel the activity at any time if ongoing and verified complaints are received from surrounding residents that are attributed to the activity.

5 Monitoring and Recording Conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
- in a legible form, or in a form that can readily be reduced to a legible form;
 - kept for at least 4 years after the monitoring or event to which they relate took place; and
 - produced in a legible form to any authorised officer of the EPA who asks to see them.

Environment Protection Licence

Licence - 5921

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- the date(s) on which the sample was taken;
- the time(s) at which the sample was collected;
- the point at which the sample was taken; and
- the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Air Monitoring Requirements

POINT 13,15,16

Pollutant	Units of measure	Frequency	Sampling Method
Methane	percent by volume	Quarterly	Special Method 1

M2.3 Water and/ or Land Monitoring Requirements

POINT 1

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Special Frequency 1	Grab sample
BOD	milligrams per litre	Special Frequency 1	Grab sample
Calcium	milligrams per litre	Special Frequency 1	Grab sample
Chloride	milligrams per litre	Special Frequency 1	Grab sample
Fluoride	milligrams per litre	Special Frequency 1	Grab sample
Iron	milligrams per litre	Special Frequency 1	Grab sample
Magnesium	milligrams per litre	Special Frequency 1	Grab sample
Manganese	milligrams per litre	Special Frequency 1	Grab sample
Nitrate	milligrams per litre	Special Frequency 1	Grab sample
Nitrogen (ammonia)	milligrams per litre	Special Frequency 1	Grab sample
Oil and Grease	milligrams per litre	Special Frequency 1	Grab sample
pH	pH	Special Frequency 1	In situ
Potassium	milligrams per litre	Special Frequency 1	Grab sample
Sodium	milligrams per litre	Special Frequency 1	Grab sample
Sulfate	milligrams per litre	Special Frequency 1	Grab sample

Environment Protection Licence

Licence - 5921

Total organic carbon	milligrams per litre	Special Frequency 1	Grab sample
Total Phenolics	micrograms per litre	Special Frequency 1	Grab sample
Total suspended solids	milligrams per litre	Special Frequency 1	Grab sample
Volumetric flowrate	kilolitres per day	Special Frequency 1	Estimate

POINT 2

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Quarterly	Grab sample
BOD	milligrams per litre	Quarterly	Grab sample
Calcium	milligrams per litre	Quarterly	Grab sample
Chloride	milligrams per litre	Quarterly	Grab sample
Fluoride	milligrams per litre	Quarterly	Grab sample
Iron	milligrams per litre	Quarterly	Grab sample
Magnesium	milligrams per litre	Quarterly	Grab sample
Manganese	milligrams per litre	Quarterly	Grab sample
Nitrate	milligrams per litre	Quarterly	Grab sample
Nitrite	milligrams per litre	Quarterly	Grab sample
Nitrogen (ammonia)	milligrams per litre	Quarterly	Grab sample
Oil and Grease	milligrams per litre	Quarterly	Grab sample
pH	pH	Quarterly	In situ
Potassium	milligrams per litre	Quarterly	Grab sample
Sodium	milligrams per litre	Quarterly	Grab sample
Sulfate	milligrams per litre	Quarterly	Grab sample
Total organic carbon	milligrams per litre	Quarterly	Grab sample
Total Phenolics	micrograms per litre	Quarterly	Grab sample
Total suspended solids	milligrams per litre	Quarterly	Grab sample

POINT 3,4

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Special Frequency 1	Grab sample
BOD	milligrams per litre	Special Frequency 1	Grab sample
Calcium	milligrams per litre	Special Frequency 1	Grab sample
Chloride	milligrams per litre	Special Frequency 1	Grab sample
Fluoride	milligrams per litre	Special Frequency 1	Grab sample
Iron	milligrams per litre	Special Frequency 1	Grab sample
Magnesium	milligrams per litre	Special Frequency 1	Grab sample
Manganese	milligrams per litre	Special Frequency 1	Grab sample
Nitrate	milligrams per litre	Special Frequency 1	Grab sample
Nitrogen (ammonia)	milligrams per litre	Special Frequency 1	Grab sample
pH	pH	Special Frequency 1	In situ
Potassium	milligrams per litre	Special Frequency 1	Grab sample
Sodium	milligrams per litre	Special Frequency 1	Grab sample

Environment Protection Licence

Licence - 5921

Sulfate	milligrams per litre	Special Frequency 1	Grab sample
Total organic carbon	milligrams per litre	Special Frequency 1	Grab sample
Total Phenolics	micrograms per litre	Special Frequency 1	Grab sample
Total suspended solids	milligrams per litre	Special Frequency 1	Grab sample
Volumetric flowrate	kilolitres per day	Special Frequency 1	Estimate

POINT 5,6

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Quarterly	Grab sample
BOD	milligrams per litre	Quarterly	Grab sample
Calcium	milligrams per litre	Quarterly	Grab sample
Chloride	milligrams per litre	Quarterly	Grab sample
Fluoride	milligrams per litre	Quarterly	Grab sample
Iron	milligrams per litre	Quarterly	Grab sample
Magnesium	milligrams per litre	Quarterly	Grab sample
Manganese	milligrams per litre	Quarterly	Grab sample
Nitrate	milligrams per litre	Quarterly	Grab sample
Nitrogen (ammonia)	milligrams per litre	Quarterly	Grab sample
Oil and Grease	milligrams per litre	Quarterly	Grab sample
Organochlorine pesticides	micrograms per litre	Quarterly	Grab sample
Organophosphate pesticides	micrograms per litre	Quarterly	Grab sample
pH	pH	Quarterly	In situ
Potassium	milligrams per litre	Quarterly	Grab sample
Sodium	milligrams per litre	Quarterly	Grab sample
Sulfate	milligrams per litre	Quarterly	Grab sample
Total organic carbon	milligrams per litre	Quarterly	Grab sample
Total Phenolics	micrograms per litre	Quarterly	Grab sample
Total suspended solids	milligrams per litre	Quarterly	Grab sample
Volatile organic compounds	milligrams per litre	Quarterly	Grab sample

POINT 7

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Special Frequency 2	Grab sample
BOD	milligrams per litre	Special Frequency 2	Grab sample
Calcium	milligrams per litre	Special Frequency 2	Grab sample
Chloride	milligrams per litre	Special Frequency 2	Grab sample
Fluoride	milligrams per litre	Special Frequency 2	Grab sample
Iron	milligrams per litre	Special Frequency 2	Grab sample
Magnesium	milligrams per litre	Special Frequency 2	Grab sample
Manganese	milligrams per litre	Special Frequency 2	Grab sample

Environment Protection Licence

Licence - 5921

Nitrate	milligrams per litre	Special Frequency 2	Grab sample
Nitrogen (ammonia)	milligrams per litre	Special Frequency 2	Grab sample
Organochlorine pesticides	micrograms per litre	Special Frequency 2	Grab sample
Organophosphate pesticides	micrograms per litre	Special Frequency 2	Grab sample
pH	pH	Special Frequency 2	In situ
Potassium	milligrams per litre	Special Frequency 2	Grab sample
Sodium	milligrams per litre	Special Frequency 2	Grab sample
Sulfate	milligrams per litre	Special Frequency 2	Grab sample
Total organic carbon	milligrams per litre	Special Frequency 2	Grab sample
Total Phenolics	micrograms per litre	Special Frequency 2	Grab sample
Total suspended solids	milligrams per litre	Special Frequency 2	Grab sample
Volatile organic compounds	milligrams per litre	Special Frequency 2	Grab sample
Volumetric flowrate	kilolitres per day	Special Frequency 2	Estimate

POINT 8,9,18,19,20

Pollutant	Units of measure	Frequency	Sampling Method
Aluminium	milligrams per litre	Yearly	Grab sample
Arsenic	milligrams per litre	Yearly	Grab sample
BOD	milligrams per litre	Quarterly	Grab sample
Cadmium	milligrams per litre	Yearly	Grab sample
Calcium	milligrams per litre	Quarterly	Grab sample
Chloride	milligrams per litre	Quarterly	Grab sample
Copper	milligrams per litre	Yearly	Grab sample
Dissolved organic carbon	milligrams per litre	Yearly	Grab sample
Electrical conductivity	microsiemens per centimetre	Quarterly	In situ
Fluoride	milligrams per litre	Quarterly	Grab sample
Iron	milligrams per litre	Yearly	Grab sample
Iron (dissolved)	milligrams per litre	Quarterly	Grab sample
Lead	milligrams per litre	Yearly	Grab sample
Magnesium	milligrams per litre	Quarterly	Grab sample
Manganese	milligrams per litre	Yearly	Grab sample
Mercury	milligrams per litre	Yearly	Grab sample
NH3-N	milligrams per litre	Quarterly	Grab sample
Nickel	milligrams per litre	Yearly	Grab sample
Nitrate + nitrite (oxidised nitrogen)	milligrams per litre	Quarterly	Grab sample
Oil and Grease	milligrams per litre	Quarterly	Grab sample
Organochlorine pesticides	micrograms per litre	Yearly	Grab sample
Organophosphate pesticides	micrograms per litre	Yearly	Grab sample
pH	pH	Quarterly	In situ
Phosphorus	milligrams per litre	Quarterly	Grab sample

Environment Protection Licence

Licence - 5921

Potassium	milligrams per litre	Quarterly	Grab sample
Sodium	milligrams per litre	Quarterly	Grab sample
Soluble phosphorus	milligrams per litre	Quarterly	Grab sample
Sulfate	milligrams per litre	Quarterly	Grab sample
Total organic carbon	milligrams per litre	Quarterly	Grab sample
Total Phenolics	micrograms per litre	Yearly	Grab sample
Zinc	milligrams per litre	Yearly	Grab sample

- M2.4 For the purposes of the table(s) above Special Frequency 1 means the collection of samples once in each 3-monthly period at a time of stormwater discharge from Point 1 and on each occasion that discharge from Point 1 incorporates leachate overflow from Point 7. Monitoring is not required if the monitoring point is dry or there is inadequate water available to collect samples.
- M2.5 For the purposes of the table(s) above Special Frequency 2 means the collection of samples once in the first 24 hours after detection of discharge and then weekly whilst the discharge continues.
- M2.6 For the purposes of the table(s) above Special Method 1 means monitoring must be undertaken in accordance with the document 'Environmental Guidelines: Solid Waste Landfills, Second Edition, NSW EPA, 2016'.
- M2.7 For the purposes of the table(s) above Special Frequency 4 means sampling and analysis must be completed on a quarterly basis and the units for reporting must be MBAS, calculated as LAS (linear alkyl benzene sulfonate), with the molecular weight used for the calculation specified.
- M2.8 For the purposes of the table(s) above Special Frequency 5 means sampling and analysis for TKN (dissolved) must be completed on a quarterly basis.
- M2.9 For the purposes of the table(s) above, monitoring at points 2, 5, 6, 8, 9, 18, 19 and 20 is not required when the monitoring bore or monitoring site is dry or inadequate water is available to collect a sample.

M3 Testing methods - concentration limits

- M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:
- any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
 - if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
 - if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.
- M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods

Environment Protection Licence

Licence - 5921

Publication unless another method has been approved by the EPA in writing before any tests are conducted.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2022* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M4 Recording of pollution complaints

M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

M4.2 The record must include details of the following:

- a) the date and time of the complaint;
- b) the method by which the complaint was made;
- c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- d) the nature of the complaint;
- e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
- f) if no action was taken by the licensee, the reasons why no action was taken.

M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M5 Telephone complaints line

M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

M5.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

M6 Other monitoring and recording conditions

M6.1 The licensee must monitor the remaining disposal capacity (in cubic metres) of the landfill.

M6.2 The licensee must monitor and record daily rainfall at the premises.

M6.3 For the purpose of complying with conditions R2.4 the licensee must monitor overflow events from the following discharge points: Point 7.

Environment Protection Licence

Licence - 5921

6 Reporting Conditions

R1 Annual return documents

R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

1. a Statement of Compliance,
2. a Monitoring and Complaints Summary,
3. a Statement of Compliance - Licence Conditions,
4. a Statement of Compliance - Load based Fee,
5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee notification that the Annual Return is due.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:

- a) the licence holder; or
- b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual

Environment Protection Licence

Licence - 5921

Return until after the end of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R2 Notification of environmental harm

R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which they became aware of the incident.

R2.3 The licensee must notify the EPA within 24 hours in accordance with condition R2.1 if subsurface monitoring detects methane above 1.25% (v/v), and increase the frequency of monitoring to daily, until the EPA determines otherwise.

R2.4 Whenever leachate is discharged to surface waters from the premises the licensee must notify the event to the EPA in accordance with condition R2.1.

R2.5 The licensee must provide written details of any leachate discharge(s) to the EPA within 7 days of the date on which the incident occurred in accordance with condition R2.6.

R2.6 The written details referred to in the above condition must be provided as a report. The report must include the following information:

- a) the volume of the leachate discharged and over what time period the discharge occurred;
- b) the date and time of the commencement of the overflow;
- c) the weather conditions at the time of the discharge, specifying the amount of rainfall on a daily basis that had fallen:
 - i) on the day(s) of the discharge; and
 - ii) for the one week period prior to the discharge.
- d) the most recent monitoring results of the chemical composition of the leachate;
- e) an explanation as to why the discharge occurred;
- f) the location(s) of the discharge;
- g) a plan of action to prevent a similar discharge in the future; and
- h) was the discharge permitted by this licence.

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:

- a) where this licence applies to premises, an event has occurred at the premises; or
 - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,
- and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of

Environment Protection Licence

Licence - 5921

the event.

- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
- the cause, time and duration of the event;
 - the type, volume and concentration of every pollutant discharged as a result of the event;
 - the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
 - the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
 - action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
 - details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
 - any other relevant matters.
- R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other reporting conditions

- R4.1 The licensee must record the following data in relation to fires occurring at the premises:
- Time and date when the fire started.
 - Whether the fire was authorised by the licensee, and, if not, the circumstances which ignited the fire.
 - The time and date that the fire burnt out or was extinguished.
 - The location of fire (eg. clean timber stockpile, putrescible garbage cell, etc).
 - Prevailing weather conditions at the time of the fire.
 - Observations made in regard to smoke direction and dispersion.
 - The amount of waste that was combusted by the fire.
 - Action taken to extinguish the fire;
 - Action taken to prevent a reoccurrence.

The data must be recorded on each day that the fire is burning.

- R4.2 The licensee or its employees or agents must notify the EPA of the occurrence of all fires on the premises that meet the criteria below. Notification must be made in accordance with the requirements of conditions R2.1, R2.2 and R4.1 as soon as practical after becoming aware of the fire.

The licensee need only report fires to the EPA that:

- Require Fire Services to be in attendance to aid with control or extinguishing of the fire; OR
- Combust greater than 2.5 cubic metres of waste material; OR
- Cause environmental or nuisance complaints to be received from the public or users of the landfill.

Environment Protection Licence

Licence - 5921

7 General Conditions

G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

8 Pollution Studies and Reduction Programs

U1 Surface Water and Leachate Management Improvement Program

U1.1 Background

Discharges from EPA Discharge Point 1 on 22 and 29 December 2020, and findings summarised in the *Forest Road Waste Management Facility Site Masterplan* (Talis, 2020) have identified that surface water management and leachate collection systems at the premises are under capacity.

U1.2 Objective

By no later than 31st December 2025, the licensee must construct and make operational, the Erosion and Sediment Control Plan outlined in the Soil and Water Management Plan - Forest Road Landfill (4264-1009), completed through GeoLINK Consulting Pty Ltd and issued September 2022 (DOC22/1007453-1). These works include, but are not limited to:

- Stabilise western void with soil binder application.
- Re-vegetate the exposed batter in southern portion.
- Install diversion structures (DD-01 and DD-02).
- Install catch drains (CD-01 and CD-02) for site water collection.
- Undertake expansion works for Dam-03 including spillway and inlet structures.
- Install spillway and inlet structures for both Dam-01 and Dam-02.
- Install end of day controls and roll-over bunds including contour banks for every 80m of exposed slope where possible.
- Progressive rehabilitation to be implemented where-ever possible. Completed works areas to be stabilised as soon as practicable by placing topsoil and stabilising by spraying bonded fibre matrix or suitable alternative seeding combined with temporary stabilisation.

- U1.3 By no later than 5pm on 30 January 2026, the licensee must submit a written report to info@epa.nsw.gov.au confirming the completion of all actions required by Condition U1.2.

Environment Protection Licence

Licence - 5921

Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence

Licence - 5921

flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

Environment Protection Licence

Licence - 5921

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non-putrescible), special waste or hazardous waste
Wellhead	Has the same meaning as in Schedule 1 to the Protection of the Environment Operations (General) Regulation 2021.

Mr David Dutailis

Environment Protection Authority

(By Delegation)

Date of this edition: 09-January-2001

Environment Protection Licence

Licence - 5921

End Notes

- 1 Licence varied by notice 1015144, issued on 23-Oct-2002, which came into effect on 17-Nov-2002.
- 2 Licence varied by notice 1025644, issued on 24-Nov-2003, which came into effect on 19-Dec-2003.
- 3 Licence transferred through application 142677, approved on 02-Jun-2004, which came into effect on 17-Mar-2004.
- 4 Licence varied by notice 1060402, issued on 01-Jun-2006, which came into effect on 01-Jun-2006.
- 5 Licence varied by correction to spatial data, issued on 20-Apr-2007, which came into effect on 20-Apr-2007.
- 6 Licence varied by notice 1084085, issued on 10-Apr-2008, which came into effect on 10-Apr-2008.
- 7 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 8 Licence varied by notice 1093158, issued on 20-Mar-2009, which came into effect on 20-Mar-2009.
- 9 Licence varied by notice 1129261, issued on 23-Jun-2011, which came into effect on 23-Jun-2011.
- 10 Licence varied by notice 1510669 issued on 10-Apr-2014
- 11 Licence varied by notice 1526948 issued on 10-Apr-2015
- 12 Licence varied by notice 1533898 issued on 27-Oct-2015
- 13 Licence varied by notice 1535163 issued on 29-Oct-2015
- 14 Licence varied by notice 1547359 issued on 20-Dec-2016
- 15 Licence varied by notice 1550482 issued on 04-Apr-2017
- 16 Licence varied by notice 1565465 issued on 20-Jun-2018
- 17 Licence varied by notice 1566719 issued on 06-Aug-2018
- 18 Licence varied by notice 1576040 issued on 18-Feb-2019
- 19 Licence varied by notice 1585327 issued on 13-Sep-2019
- 20 Licence varied by notice 1608370 issued on 11-Jun-2021
- 21 Licence varied by notice 1611465 issued on 27-Aug-2021
- 22 Licence varied by notice 1612759 issued on 16-Sep-2021
- 23 Licence varied by notice 1613780 issued on 01-Dec-2021



Environment Protection Licence

Licence - 5921

24	Licence varied by notice	1615122 issued on 10-Dec-2021
25	Licence varied by notice	1617373 issued on 17-Jun-2022
26	Licence varied by notice	1620495 issued on 08-Aug-2022
27	Licence varied by notice	1623696 issued on 15-Mar-2023
28	Licence varied by notice	1628110 issued on 28-Apr-2023