



**NOTE:**  
MECHANICAL VENTILATION TO BE PROVIDED TO ACCESSIBLE WC AS REQUIRED BY RELEVANT STANDARDS

FIRE HAZARD PROPERTIES OF THE MECHANICAL VENTILATION WILL COMPLY WITH SPECIFICATION C1.10 OF VOLUME 1 OF THE BCA 2019(1)

FIRE RATED CONSTRUCTION AS REQUIRED TO MEET RELEVANT CODES AND STANDARDS  
0-1.5M REQUIRES 90/90/90 FRL  
1.5-3M REQUIRES 60/60/60 FRL

**PROPOSED FLOOR PLAN**  
SCALE 1:100@A3

LG 2022-0110

	<b>LEGEND</b> WT 10,000L WATER TANK WC WATER CLOSET B BASIN SNK SINK HWU HOT WATER UNIT SLS SECURITY SENSOR LIGHT FE DRY CHEMICAL FIRE EXTINGUISHER C1 COLUMN TO CLIENTS DETAIL EGL EXISTING GROUND LEVEL FGL FINISHED GROUND LEVEL LED 200W HI BAY LED EF EXHAUST FAN EL EMERGENCY LIGHT <b>AREAS</b> C.O.L.A. AREA 209.6m² AMENITIES AREA 39.4m²	<b>DRAWING REVISION</b> K 26/11/2023 ISSUED FOR DA MOD L 28/03/2024 ISSUED FOR CC M 31/05/2024 RE-ISSUED FOR CC N 25/06/2024 RE-ISSUED FOR CC		<b>PROJECT</b> <b>COLEDALE MINISTRY CENTRE</b> CLIENT ANGLICAN DIOCESE OF ARMIDALE		<b>ADDRESS</b> 5 GLEN STREET, TAMWORTH NSW 2340		<b>DRAWING TITLE</b> <b>PROPOSED FLOOR PLAN</b>		SCALE 1:100 @ A3
				METERS @ 1:100 20		PLOT DATE 25/06/2024	DRAFTER ALISON LU	DRAWING NUMBER CC02		ISSUE <b>N</b>